



EM500-LGT

Light Sensor



Introduction

EM500-LGT light sensor is a long range wireless sensor compatible with standard LoRaWAN protocol. Combining with the advanced LoRa technology and 19000mAh battery make it a low power consumption product with years-long use life. It has a wide measuring range from 0 to 100000 lux and good waterproof performance, which suits for smart agriculture, urban lighting and many other applications.

Features

- Up to 11km communication range
- Wide measuring range and high precision
- Standard LoRaWAN protocol
- Easy configuration via NFC
- Ursalink Cloud and third-party platform compliant
- Low power consumption with 19000 mAh replaceable battery
- 1-Year Warranty Included

Applications

- ✓ Smart Buildings
- ✓ Greenhouse Control
- ✓ Weather Monitoring
- ✓ Crop Monitoring

Specifications

LoRaWAN		
Frequency	EU433/CN470/IN865/EU868/RU864/US915/AU915/KR920/AS923	
Tx Power	16dBm(868)/20dBm(915)/19dBm(470)	
Sensitivity	-147dBm @300bps	
Mode	OTAA/ABP Class A	
Antenna	Integrated ceramic antenna	
Measurement		
Range	0~100000 lux	
Accuracy	± 3%	
Resolution	1 lux	
Physical Characteristics		
Cable Length	3m	
Power Supply	19000 mAh Li-SOCL ₂ battery(ER34615)	
Operating Temperature	-30°C to +60°C	
Ingress Protection	Transceiver: IP66 (IP67 as required)	
	Light Sensor: IP65	
Dimension	Transceiver: 105.4 \times 71 \times 69.5 mm (Waterproof connector is not included)	
	Light Sensor: 64 × 58 × 34 mm	
Mounting	Pole, wall, DIN rail	

Operation	
Power On & Off	NFC, power button (Internal)
Configuration	Mobile APP or PC software via NFC or USB Type-C

Xiamen Ursalink Technology Co., Ltd.

4/F, No. 63-2 Wanghai Road, 2nd Software Park Xiamen 361008, China

Phone: +86-592-5023060 Fax: +86-592-5023065
Website: www.ursalink.com Email: contact@ursalink.com

